

HOSE ACCESSORIES

Tesuco has a range of accessories for single and twin hose sets for both 5 mm and 8 mm ID hose. The range includes a crimping tool, clips and various hose joiners and fittings.

CRIMPING TOOL

The crimping tool is specifically designed for use with the GWC5 clips to secure the hose barb once inserted into the ends of the hose. The tool is robust and easy to use and makes this a very simple fixing method.



Specifications	
Packaging Type	Shell Pack
Materials of Construction	Black Steel with Blue Plastic Handgrip
Warranty	1 Year (Manufacturer's Defect)
Country of Origin	China

Part No	Dimensions (mm)		Weight (kg)	
	Product Only	With Packaging	Nett	Gross
A2100	(H) 230 (W) 50 (D) 17	(H) 385 (W) 115 (D) 24	0.47	0.54

HOSE CLIP

This hose clip is designed for use with 5 mm hose nut and tail. They are available as a spare part for hose repairs.



Specifications	
Packaging Type	Shell Pack
Materials of Construction	Mild Steel
Warranty	1 Year (Manufacturer's Defect)
Country of Origin	China

Part No	Dimensions (mm)		Weight (kg)		Pack Quantity
	Product Only	With Packaging	Nett	Gross	
GWC5D	(H) 7 (Ø) 16.50	(H) 119 (W) 55 (D) 23	0.04	0.07	10

HOSE JOINER

These male threaded hose joiners are designed for the temporary joining of two hose sets when longer lengths are required. They are available in left and right hand for oxygen and fuel gas hoses.

Specifications	
Packaging Type	Shell Pack
Materials of Construction	Brass
Warranty	1 Year (Manufacturer's Defect)
Country of Origin	China



Part No	Connection	Dimensions (mm)		Weight (kg)	
		Product Only	With Packaging	Nett	Gross
GWHC34	5/8-18 UNF RH Female	(H) 29 (Ø) 16	(H) 190 (W) 55 (D) 23	0.05	0.08
GWHC35	5/8-18 UNF LH Female	(H) 29 (Ø) 16	(H) 190 (W) 55 (D) 23	0.05	0.08

HOSE NUT AND TAIL WITH CLIP 5 MM

This type of nut and hose tail assembly is designed to be fitted into 5 mm hose, then secured with a clip using the special tool. They are available in left and right hand for oxygen and fuel gas hoses.

Specifications	
Packaging Type	Shell Pack
Materials of Construction	Brass with Mild Steel Clip
Hose Barb	To Suit 5 mm Hose
Warranty	1 Year (Manufacturer's Defect)
Country of Origin	China






Part No	Inlet Connection	Dimensions (mm)		Weight (kg)	
		Product Only	With Packaging	Nett	Gross
GWHCF	5/8-18 UNF LH Female	(H) 41 (Ø) 19	(H) 190 (W) 55 (D) 23	0.05	0.08
GWHCI	5/8-18 UNF RH Female	(H) 41 (Ø) 19	(H) 190 (W) 55 (D) 23	0.05	0.08

HOSE ACCESSORIES

HOSE CONNECTIONS / HOSE JOINERS 5 MM

This range of hose connection and joiner use a shroud and hose tail that screw into the 5 mm hose forming a very secure end fitting. A special tool should be used to fit them correctly. The connections are available in left and right hand for oxygen and fuel gas hoses. The joiner is suitable for either hose when a repair is required in the length of the hose.



Specifications	
Packaging Type	Shell Pack
Materials of Construction	Brass
Hose Connection	To Suit 5 mm Hose
Warranty	1 Year (Manufacturer's Defect)
Country of Origin	China

	Part No	Inlet Connection	Dimensions (mm)		Weight (kg)	
			Product Only	With Packaging	Nett	Gross
	GWLP112RH	5/8-18 UNF RH Female	(H) 46 (Ø) 19	(H) 190 (W) 55 (D) 23	0.06	0.09
	GWLP240LH	5/8-18 UNF LH Female	(H) 46 (Ø) 19	(H) 190 (W) 55 (D) 23	0.06	0.09
	GWLP265	To Suit 5 mm Hose	(H) 63 (Ø) 19	(H) 190 (W) 55 (D) 23	0.05	0.08

HOSE CONNECTIONS 8 MM

This range of hose connection are the same as those above but have a shroud designed for use with 8 mm ID hose. The connections are available in left and right hand for oxygen and fuel gas hoses.

Specifications	
Packaging Type	Header Card
Materials of Construction	Brass
Hose Connection	To Suit 8 mm Hose
Warranty	1 Year (Manufacturer's Defect)
Country of Origin	China

	Part No	Inlet Connection	Dimensions (mm)		Weight (kg)	
			Product Only	With Packaging	Nett	Gross
	GWLP137U	5/8-18 UNF LH Female	(H) 49 (Ø) 19	(H) 150 (W) 130 (D) 20	0.06	0.09
	GWLP242U	5/8-18 UNF RH Female	(H) 49 (Ø) 19	(H) 190 (W) 55 (D) 23	0.06	0.09

**WELDING, BRAZING, CUTTING
AND HEATING EQUIPMENT**

