MOBILE EQUIPMENT

Corti Corti gas control panel



CORTI MOBILE EQUIPMENT


AMT Gega also offers a portable flame cutting machine. The AMT Gega Corti offers a high level of flexibility with regards to its area of use. The light and robust aluminium casing offers the perfect housing for the speed controller, operated via a potentiometer.

Cutting is carried out by AMT Gega flame cutters in the SB range, tried and tested over many years. These were optimised to be adapted to the requirements of a compact cutting system.

The Corti is guided by a special aluminium rail, which is divided into sections with a maximum length of 6 metres.



AMT Gega torch hoses



ITEM NO.	111122	112221
CONNECTION		
Voltage (V)	230	115
Compressed air	optional	optional
Oxygen	G 1/2″	UNF 7/8" CGA
Gas	G 3/8″ LH	UNF 9/16" LH CGA
DIMENSIONS (mm)		
Track width	220	220
Height	~ 360	~ 360
Width	~ 550	~ 550
Length	~ 300	~ 300
ARM LENGTH (mm)	230 – 535	230 – 535
SPEED MAX. (mm/min)	500	500
WEIGHT (kg)	22	22
HEAT PROTECTION	optional	optional

GAS CONTROL PANEL MOBILE EQUIPMENT

AMT Gega also offers a portable flame cutting machine. The AMT Gega Corti offers a high level of flexibility with regards to your area of use. The light and robust aluminium casing offers the perfect housing for the speed controller operated via a potentiometer.

Cutting is carried out by AMT Gega flame cutters in the SB range, tried and tested over many years. These were optimised to be adapted to the requirements of a compact cutting system. The Corti is guided by a special aluminium rail, which is divided into sections with a maximum length of 6 metres.





Cas	control	nanal
Gas	CONTION	paner

ITEM NO.	109314	111364
CONNECTION		
Compressed air	_	G 1/2″
Oxygen	G 1/2" ; UNF 7/8" CGA	G 1/2" ; UNF 7/8" CGA
Gas	G 3/8" LH ; UNF 9/16" LH CGA	G 3/8" LH ; UNF 9/16" LH CGA
DIMENSIONS (mm)		
Height	850	850
Width	500	500
Length	165	165
WEIGHT (kg)	39	42
HEAT PROTECTION	optional	optional